



SORHEA



Designer and manufacturer of infrared and microwave barriers for the protection of sensitive sites.



- military bases,
- car showrooms,
- storage parks,
- industrial units,
- prisons,
- consulates, embassies,
- shopping centres,
- banks,
- logistics centres,
- and also for private individuals: surveillance

NEW PRODUCTS

FINIRIS



MIRIS



MINIRIS II



2000 range.

Uniris Biris



UNIRIS



BIRIS



THE IDEAL PRODUCT FOR SIMPLE AND COST-EFFECTIVE INSTALLATIONS

Infrared barriers with either two (UNIRIS) or four beams (BIRIS).

These economical products are easy to install and part of the market standard.

WHY USE UNIRIS AND BIRIS?

- Low cost
- Small size
- Easy installation


APPLICATIONS

- Indoor protection (warehouses, cash-lines in supermarkets).
- Outdoor protection (rolling stock, facades, tops, enclosures).

FEATURES

- Height: from 18.5 to 42 cm according to model
- Indoor range: from 65 to 500 m according to model
- Outdoor range: from 25 to 200 m according to model
- 12VDC supply
- Detection immunity from 70 to 700 m
- Simplified alignment system
- Optional heater for outdoor use
- BIRIS can be integrated

Miniris



FACADE PROTECTION

An infrared barrier adapted to the



WHY USE MINIRIS ?

- Slim profile of their columns
- Special design to facilitate integration in buildings

APPLICATIONS

- Small sites
- Facades
- Terraces
- Balconies

FEATURES

- Range: 60 m indoors, 30 m outdoors

terraces and balconies.

Our MINIRIS barriers come in columns of several heights with a variable number of beams.

They feature a slim attractive column profile. Their design has been especially devised to facilitate integration on buildings.

- Number of beams: 4 ,6 or 8 per barrier
- Immediate single detection (temporarily adjustable from 0.1 to 7s) or dual detection
- Alignment configuration: by measuring the time delay of the signal received
- Information: 1 intrusion contact, 1 tamper contact
- Power supply: 12 Vdc and heater: 230V (optional)
- Operating temperature: -20 to 55°C (with optional heater)
- Protection index: IP431
- Housing: Streamlined aluminium, ivory or black enamelled, plastic cover
- Other paint on demand

FOR MORE INFO PLEASE CONTACT US